

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013687.02-R3  
**DATE:** 04/18/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Seves Glass  
**CODE:** 2322-1  
**REVISION DATE:** 01/08/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Seves Glass Block S.R.O.</b> <b>Bilinská 782/42</b> <b>Duchcov, 419 01, Czech Republic</b>	<b>Series "Lightwise<sup>®</sup> Architectural High Performance Hurricane Resistant Glass Block Panels"</b> <b>w/Two-Piece Aluminum Receptor Frame</b> Configuration: O Glazing: 3.88" Thickset 90 Glass Block Panels Frame: W-1838mm(72.38") H-1832mm(72.13") Block Size: W-203mm(8") H-203mm(8") DLO: W-1724mm(67.88") H-1718mm(67.63")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3255 Pa (68 psf)</b> Water Penetration Resistance Test Pressure: 718 Pa (15.0 psf) <b>Large Missile Impact Rated</b>

Product Tested By: Architectural Testing, Inc.  
Report No: D1178.04-501-18  
Expiration Date: April 30, 2029

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023