

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013782-R3
DATE: 07/12/2017
CERTIFICATION PROGRAM: Fire
COMPANY: Seves Glass
CODE: 2322-1
REVISION DATE: 01/08/2025
EXPIRATION DATE: 07/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| Seves Glass Block S.R.O. Bilinská 782/42 Duchcov, 419 01, Czech Republic | Series "Vetropieno" Fire-Rated Solid Glass Block Manufacturer Specific Glass Blocks for Installation in 90 Minute Locations Max Opening: 100ft ² or W-120" or H-121" Glass Block Size: W-9.45" x H-2.09" Minimum Thickness: 4.61" |

| SPECIFICATION | PRODUCT RATING |
|------------------------|--|
| NFPA 257 (2000) | 90 Minutes With Hose Stream |

| TEST REPORT |
|--|
| Architectural Testing Inc. Test Report No: C9707.01-121-24 |

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC-03/30/2023